

## Message Text

UNCLASSIFIED

PAGE 01 LONDON 10306 291103Z  
ACTION OES-07

INFO OCT-01 EUR-12 ISO-00 SSO-00 EPAE-00 L-03 /023 W  
-----087735 291106Z /13

O 291046Z JUN 78  
FM AMEMBASSY LONDON  
TO SECSTATE WASHDC IMMEDIATE 7658

UNCLAS LONDON 10306

PASS: OES/ENV - LONG, W.

E.O. 11652: N/A  
TAGS: TGEN, UK  
SUB: ENQUIRY FROM WELSH WATER AUTHORITY

1. SUBSEQUENT TO LONDON 10078, HAVE RECEIVED ANOTHER  
ENQUIRY FROM WELSH WATER AUTHORITY AS FOLLOWS:  
QUOTE: THANKS FOR MESSAGE AND TROUBLE TAKEN ON MY  
BEHALF. I WOULD BE GRATEFUL IF YOU COULD OBTAIN FOR ME  
COPIES OF ORIGINAL LEGISLATION AND PROPOSED EXEMPTION  
PROCEDURE. IT HAS ALSO BEEN SUGGESTED TO US THAT EPA  
REQUIRE THAT ALL NEW SEWAGE TREATMENT PLANTS MUST BE  
CAPABLE OF RECYCLING THE FERTILISER CONTENT OF SEWAGE.  
I PRESUME THIS REFERS TO SEWAGE SLUDGE AND NOT A  
REQUIREMENT TO REMOVE THE FERTILISER ELEMENTS FROM THE  
EFFLUENT BEFORE DISCHARGE. CAN YOU CONFIRM PLEASE.  
SIGNED: MORLAIS OWENS, ASST DIR, SCIENTIFIC SERVICES,  
WELSH WATER AUTHORITY UNQUOTE

2. YOUR EARLY REPLY WOULD BE APPRECIATED.

BREWSTER

UNCLASSIFIED

NNN

## Message Attributes

**Automatic Decaptioning:** X  
**Capture Date:** 01 jan 1994  
**Channel Indicators:** n/a  
**Current Classification:** UNCLASSIFIED  
**Concepts:** WATER  
**Control Number:** n/a  
**Copy:** SINGLE  
**Draft Date:** 29 jun 1978  
**Decaption Date:** 01 jan 1960  
**Decaption Note:**  
**Disposition Action:** n/a  
**Disposition Approved on Date:**  
**Disposition Case Number:** n/a  
**Disposition Comment:**  
**Disposition Date:** 01 jan 1960  
**Disposition Event:**  
**Disposition History:** n/a  
**Disposition Reason:**  
**Disposition Remarks:**  
**Document Number:** 1978LONDON10306  
**Document Source:** CORE  
**Document Unique ID:** 00  
**Drafter:** n/a  
**Enclosure:** n/a  
**Executive Order:** N/A  
**Errors:** N/A  
**Expiration:**  
**Film Number:** D780269-0068  
**Format:** TEL  
**From:** LONDON  
**Handling Restrictions:** n/a  
**Image Path:**  
**ISecure:** 1  
**Legacy Key:** link1978/newtext/t1978068/aaaaagkl.tel  
**Line Count:** 44  
**Litigation Code IDs:**  
**Litigation Codes:**  
**Litigation History:**  
**Locator:** TEXT ON-LINE, ON MICROFILM  
**Message ID:** 4405c68c-c288-dd11-92da-001cc4696bcc  
**Office:** ACTION OES  
**Original Classification:** UNCLASSIFIED  
**Original Handling Restrictions:** n/a  
**Original Previous Classification:** n/a  
**Original Previous Handling Restrictions:** n/a  
**Page Count:** 1  
**Previous Channel Indicators:** n/a  
**Previous Classification:** n/a  
**Previous Handling Restrictions:** n/a  
**Reference:** n/a  
**Retention:** 0  
**Review Action:** RELEASED, APPROVED  
**Review Content Flags:**  
**Review Date:** 29 mar 2005  
**Review Event:**  
**Review Exemptions:** n/a  
**Review Media Identifier:**  
**Review Release Date:** N/A  
**Review Release Event:** n/a  
**Review Transfer Date:**  
**Review Withdrawn Fields:** n/a  
**SAS ID:** 2429660  
**Secure:** OPEN  
**Status:** NATIVE  
**Subject:** ENQUIRY FROM WELSH WATER AUTHORITY  
**TAGS:** TGEN, UK  
**To:** STATE  
**Type:** TE  
**vdkgvwkey:** odbc://SAS/SAS.dbo.SAS\_Docs/4405c68c-c288-dd11-92da-001cc4696bcc  
**Review Markings:**  
Sheryl P. Walter  
Declassified/Released  
US Department of State  
EO Systematic Review  
20 Mar 2014  
**Markings:** Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014